



FRAMING ELEVATIONS

SCALE: 1/4"=1'-0"
12" 0' 1' 2' 3' 4'




FRAMING PLAN

SCALE: 1/4"=1'-0"
12" 0' 1' 2' 3' 4'





CROSS SECTION

SCALE: 1/2"=1'-0"
12" 6" 0' 1' 2'




ROOF SASH PANEL


SCALE: 1/2"=1'-0"
12" 6" 0' 1' 2'




SECTION A-A
NOT TO SCALE



EAVE CONNECTIONS



RAFTER DETAILS



RIDGE DETAIL


NOTE:
CONSULT LOCAL HEALTH AND
BUILDING CODE AUTHORITIES
BEFORE STARTING CONSTRUCTION.

SCALE: 3"=1'-0" UNLESS
OTHERWISE NOTED




PLASTIC GREENHOUSE

USDA '76 6251 SHEET 1 OF 2



DOOR DETAIL "C"


SCALE: 3"=1'-0"
6" 3" 4" 3" 2" 1" 0"



DOOR PANEL


TWO REQ'D

APPLY FILM TO INSIDE FIRST. OUTER FILM SHALL EXTEND OVER TOP RAIL AND LAP THE TOP EDGE OF THE INNER FILM.




DOOR DETAIL "B"

SCALE: 3"=1'-0"
6" 3" 4" 3" 2" 1" 0"




GABLE SASH PANEL

TWO REQ'D




END WALL FRAMING

2x12x12'-0" NOTCHED 3 1/2 x 3'-5" FOR DOOR. BEVEL TOP EDGE FOR DRAINAGE.




SIDE WALL SASH PANEL

EIGHT REQ'D



END WALL SASH PANEL

FOUR REQ'D. TWO RIGHT & TWO LEFT



SILL DETAIL "A"

SCALE: 1 1/2"=1'-0"
12" 9" 6" 3" 0"

NOTES:

THE ROOF PANELS ARE HELD IN CLOSED OR PARTLY OPEN POSITIONS BY 6d DOUBLE-HEADED NAILS IN HOLES DRILLED THROUGH LOWER END OF RAFTER CAP INTO PANEL FRAME.

INSTALL RESILIENT WEATHER STRIPPING TO CLOSE THE SPACE BETWEEN THE PLATES AND ROOF PANELS.

ALL WOOD PARTS TO BE TREATED, AFTER CUTTING, WITH A COPPER-NAPHTHENE PRESERVATIVE.

ALL METAL PARTS SHOULD BE OF NON-CORROSIVE METAL OR HOT-DIP GALVANIZED STEEL.

SCALE: 3/4"=1'-0" UNLESS OTHERWISE NOTED



PLASTIC GREENHOUSE

USDA '76 6251 SHEET 2 OF 2